















Baked Enamel Exterior Finish (shown in Forest Green)

Majesty features

When the traditional look of genuine wood is preferred, the Harvey Majesty window is your best choice. It combines the warmth and beauty of wood inside with a maintenance free aluminum clad exterior. The Majesty custom wood window offers endless possibilities for your remodeling or new construction plans.

Because Majesty windows are custom made, that means no additional carpentry is required as with other wood windows. They are available in a variety of styles including round tops, trapezoids, ellipses and architectural shapes.

- Federal tax credit eligible with performance upgrade
- ENERGY STAR® qualified with standard Double Low-E/Argon gas-filled glazing system (double hung)*
- Fully weatherstripped
- Standard top sash lift rail (double hung)
- Recessed hardware for unobstructed views
- Both sashes tilt in for easy cleaning (double hung)
- Easy to operate, pre-calibrated block and tackle system never needs adjustment (double hung)
- Casement and awning windows available in pine or oak
- Two frame types available: 3-1/4" replacement, 4-9/16" new construction with fin
- Locking fiberglass half screen (double hung)
- *Majesty casement and awning windows have the option of Double Low-E/Krypton to qualify as ENERGY STAR



Double Hung



Casement



Picture



Awning



Bay





Bow

Designer Shapes



hardware

Double Hung



Recessed Sash Lock (Coppertone standard)

Casement



Available Hardware Finishes



Coppertone White



Almond



Brasstone



Bronze

Bottom Sash Lift Options (Double Hungs)







Routed



Solid Bar



Color-matched hardware is standard. All hardware shown in optional brasstone finish.

grids

Contoured GBG (Grids Between Glass)



1"

Color-Matched Color-Matched

Exterior **Grid Package**





Color-Matched Color-Matched

Interior Grid Package (Snap-In or Factory Applied)





**Oak available for casement and awning only

Pine or Oak** Pine or Oak**

Simulated

Divided Lights

Interior Applied, GBG and Exterior Applied

Decorative **Pencil Bar Grids**





Grid Configurations

- Colonial
- Prairie
- Diamond (flat bar design GBG only)
- · Custom configurations upon request

glazing

- · Clear Insulated
- I ow-F
- Low-E/Argon
- Double Low-E/Argon (standard)
- Double Low-E/Krypton
- Triple Glazing***
- Obscure
- Tempered
- Bronze Tint

Almond

options

additional

- White jamb liner package (for windows where wood will be painted white)
- Wood surface priming

Baked enamel

Half Screen

- Fiberglass Wire (standard)
- Aluminum Wire
- Virtually Invisible

Full Screen

- Fiberglass Wire
- Aluminum Wire
- Virtually Invisible

extension jambs

- Clear pine or oak
- 6-9/16"†

†6-9/16 extension jambs available field applied for casement, double hung and picture windows.

exterior colors



Dark Bronze



***Optional for casement and awning only



Forest Green







Pine

Solid Ponderosa

interior wood options



+Casement, awning and picture window only



Due to printing limitations, finishes and colors shown are for representation only.

Thermal Performance

	Glazing	U Factor	R Value	SHGC	VT	ENERGY STAR Compliance	Glazing	U Factor	R Value	SHGC	VT	ENERGY STAR Compliance
Picture Double Hung	2X Low-E/Argon	0.34	2.94	0.26	0.46	All Zones	2X Low-E/Argon	0.36	2.78	0.26	0.45	NC, SC, S
	Federal Incentive Pkg.†	0.29	3.45	0.26	0.46	All Zones	2X Low-E/Krypton	0.35	2.86	0.26	0.46	All Zones
	2X Low-E/Argon w/grid	0.35	2.86	0.24	0.41	All Zones	Federal Incentive Pkg.†	0.28	3.57	0.24	0.41	All Zones
	Federal Incentive Pkg.†	0.30	3.33	0.24	0.41	All Zones	2X Low-E/Argon w/grid	0.36	2.78	0.24	0.41	NC, SC, S
							2X Low-E/Krypton w/gri	d 0.35	2.86	0.24	0.41	All Zones
	2X Low-E/Argon	0.32	3.13	0.27	0.48	All Zones	Federal Incentive Pkg. [†]	0.28	3.57	0.22	0.37	All Zones
	Federal Incentive Pkg.†	0.29	3.45	0.27	0.48	All Zones						
	2X Low-E/Argon w/grid	0.33	3.03	0.25	0.42	All Zones	₹ 2X Low-E/Argon	0.32	3.13	0.30	0.52	All Zones
	Federal Incentive Pkg.†	0.30	3.33	0.25	0.43	All Zones	Federal Incentive Pkg.†	0.28	3.57	0.24	0.41	All Zones
							2X Low-E/Argon w/grid	0.32	3.13	0.27	0.46	All Zones
							Federal Incentive Pkg.†	0.28	3.57	0.22	0.37	All Zones
†n 4.	signaturalization of a sublifutor	a fadoral to	ou aradit un	dar Tha Am	orioon Doo	<u> </u>						

[†]Majesty windows can qualify for a federal tax credit under The American Recovery and Reinvestment Act of 2009. For the latest program guidelines and qualifications, please visit harveybp.com and consult a tax professional.

U-factor measures the rate of non-solar heat transfer from one side of the window to the other. Heat transfer implies both heat loss out of a living space during cold weather and non-solar heat gain during hot summer months. The lower the U-factor, the better the performance.

R-value measures the resistance of a glazing material or fenestration assembly to heat flow. A high R-value window has a greater resistance to heat flow and a higher insulating value than one with a low R-value.

Solar Heat Gain Coefficient (SHGC) measures how well a product blocks heat from the sun. The lower the SHGC, the better a product is at blocking unwanted heat gain.

Visible Transmittance (VT) measures how much light comes through a product. The higher the VT, the more light that comes through.



About Harvey Building Products

Harvey has built a solid reputation as a leading manufacturer and distributor of quality building products. A family-owned and operated business with over 45 years' experience, Harvey Building Products is known for outstanding craftsmanship and superior service as well as standing behind every product we make. In addition to manufacturing durable, attractive windows, doors and patio rooms, Harvey distributes a full line of highly respected building products to professional contractors and builders throughout the Northeast.

We understand what it takes to be part of your home.™



Harvey Building Products 1400 Main Street Waltham, MA 02451-1623 USA 800-9HARVEY (800-942-7839)



Information about Harvey Building Products and our products and services can be found at harveybp.com.

^{.35} U-Factor or lower are ENERGY STAR qualified in all 50 states. For structural performance values and other product specifications, visit harveybp.com.